



Sept/Oct 2021
Interactive Edition

M. BOHLKE LUMBER



Sipo, Utile

Sipo (also called Utile or Sipo Mahogany) is native to west and central Africa. These trees grow 150-200 feet in height with trunk diameters usually between 3-5 feet; however, they can grow larger. Our own Chuck Hudson (left) stands beside a recent 10/4 Sipo boule check-in for size reference. For top notch consistency, high-end woodworkers and yacht builders prefer boule lumber because an entire sawn log is put back into sequential form for purchase, giving them consistent grain and aesthetic throughout a project.

Sipo heartwood is a uniform medium reddish brown and the sapwood is a well-defined and paler yellow. This wood is naturally resistant to rot, which makes it a good choice for exterior projects. Because of its similar aesthetic and workability, Sipo has gained popularity as a substitute for genuine Mahogany and as such common uses include live edge furniture, cabinetry, and luxurious settings such as jet and yacht interiors.



This handsome species is bound to make a statement piece; you can bring character and the inherent beauty of natural wood into dining rooms, board-rooms, or restaurant interiors. Both hand rubbed oil and spray-on finishes go on beautifully.

The 34'7" Sipo bar pictured left, located at Warped Wing Brewing Co. in Dayton, OH, provides a welcoming space for customers. The slab was hand-picked by the project owners and woodworker, Matt Spitz, of The Matthew Tamerisk Collection in Springboro, OH.

Our Sipo inventory includes 8/4, 10/4, 12/4 boules and 8/4 FAS&BTR square edge. Contact your MB sales rep or email us at sales@mbveneer.com to learn more and reserve your top selections today.

New Lumber Arrivals

Anigre Figured | Slabs • Bosse | Slabs • Machiche | 4/4 FAS&BTR
Mahogany Hond. | 4/4, 8/4, 12/4 FAS&BTR • Zircote | 4/4 Boules

Dimensional Lumber Inventory

We attached our most current square edge inventory list to this newsletter; this report will also be updated monthly and can be found on our website at mbveneer.com/browse/dimensional-lumber/

Sustainably using one of Earth's most beautiful resources to enrich the world around us.

SQUARE EDGE | BOULES | LIVE EDGE SLABS | BASES | CANTS



Sept/Oct 2021
Interactive Edition

M. BOHLKE LUMBER



European Oak: A Table Story

Andy Brownell, owner of [Brownell Furniture](#), has decades of experience as a woodworker and craftsman. Since 2003, he has built commissioned furniture and fine art pieces for family, friends, and loyal customers across the country. Based in Cincinnati, OH, Andy frequents our Bohlke lumber warehouses for hard-to-find species in top quality lumber.

He recently approached our team with

a need for an approximately 7' Spessart oak live edge slab, and wrapped up this beautiful 84" long European Oak tabletop turned dining room table for his customer.

Pictured left are moments throughout the selection process, as well as behind the scene shots while the wood was leveled and worked.

Choosing the perfect live edge slab

Each one of our thousands of live edge slabs have photos in our system, average measurements, and grading notes. These details helped Andy nail down 4-5 slabs at his convenience and when he was ready, he came into the warehouses for a quick, final inspection.

After he chose the needed slab, our team scheduled it to go through the WoodWizz leveler and because he is very local, we also delivered the slab on one of our flatbeds.

From there, Andy got to work with

both machine and hand tools, from cutting the tabletop to size, hand planing and sanding, to installing the Flowlyne Design base and needed hardware.

Andy opts for hand-rubbed finishes on his custom furniture, which allows the natural texture of the wood grain to come through. Pictured below is the table in its new space, a piece that exudes warmth and character.

Visit [our YouTube channel](#) to watch the selection and woodworking processes from start to finish.



Grain close-up.



M. BOHLKE LUMBER

DIMENSIONAL LUMBER INVENTORY

As of October 2021*

Grade Specifications**

Material Description	BFT	UoM	Material Description	BFT	UoM	Material Description	BFT	UoM
AFRORMOSIA 4/4	6,200	BFT	DOUSSIE 10/4	2,100	BFT	JATOBA 4/4	4,300	BFT
AFRORMOSIA 8/4	200	BFT	DOUSSIE 4/4	7,100	BFT	JATOBA 8/4	6,500	BFT
ANIGRE 4/4	6,400	BFT	DOUSSIE 8/4	7,800	BFT	JEQUITIBA 4/4	7,000	BFT
ANIGRE 6/4	6,000	BFT	E. INDIAN ROSEWOOD 16/4	200	BFT	JEQUITIBA 8/4	3,800	BFT
ANIGRE 8/4	14,600	BFT	E. INDIAN ROSEWOOD 8/4	100	BFT	KATALOX 8/4	900	BFT
AVODIRE 4/4	1,600	BFT	EBIARA 4/4	2,400	BFT	KEYAKI 4/4	200	BFT
AVODIRE 8/4	11,300	BFT	EBIARA 8/4	3,600	BFT	KEYAKI 8/4	100	BFT
AYOUS 8/4	10,800	BFT	EBONY AMARA 10/4	100	BFT	KINGWOOD SQUARES	5,900	BFT
BEECH EURO 4/4 FC	3,000	BFT	EBONY AMARA 6/4	5,400	BFT	KOA 4/4	1,400	BFT
BEECH EURO 6/4 FC	4,200	BFT	EBONY AMARA 8/4	5,900	BFT	KOA 5/4	100	BFT
BEECH EURO 8/4 FC	7,500	BFT	EBONY AMARA CANTS	3,100	BFT	KOA 6/4	5,100	BFT
BIBOLO 4/4	2,200	BFT	EBONY BLACK 10/4	100	BFT	KOA 9/4	400	BFT
BIBOLO 5/4	2,500	BFT	EBONY BLACK 4/4	100	BFT	KOA SQUARES	200	BFT
BIBOLO 7/4	1,300	BFT	EBONY BLACK 5/4	1,100	BFT	LACEWOOD BRAZ 3/4	400	BFT
BIBOLO 8/4	6,500	BFT	EBONY BLACK 6/4	300	BFT	LACEWOOD BRAZ 4/4	2,500	BFT
BIRCH CURLY 4/4	1,000	BFT	EBONY BLACK 6/4	700	BFT	LACEWOOD BRAZ 8/4	2,500	BFT
BLACKWOOD 4/4	4,800	BFT	EBONY BLACK 8/4	2,300	BFT	LARCH 5/4	1,000	BFT
BLACKWOOD 6/4	8,700	BFT	EBONY BLACK 8/4	4,500	BFT	LARCH 8/4	7,200	BFT
BLACKWOOD 8/4	3,300	BFT	EBONY BLACK CANTS	800	BFT	LATI 8/4	1,300	BFT
BLOODWOOD 4/4	3,000	BFT	EBONY E. AFRICAN BLANKS	700	BFT	LEOPARDWOOD	100	BFT
BLOODWOOD 8/4	2,000	BFT	ETIMOE 12/4	4,300	BFT	LIMBA 8/4	700	BFT
BOCOTE 4/4	400	BFT	ETIMOE 16/4	900	BFT	MACHICHE 4/4	1,800	BFT
BOCOTE 8/4	500	BFT	ETIMOE 4/4	6,700	BFT	MAHOGANY HOND 10/4 FC	1,200	BFT
BOSSE 8/4 FIG	500	BFT	ETIMOE 6/4	700	BFT	MAHOGANY HOND 12/4	600	BFT
BUBINGA 10/4	800	BFT	ETIMOE 8/4	2,300	BFT	MAHOGANY HOND 14/4	300	BFT
BUBINGA 16/4 QC	5,500	BFT	EUCALYPTUS 4/4	2,500	BFT	MAHOGANY HOND 16/4 FC	1,500	BFT
BUBINGA 5/4 QC	400	BFT	EUCALYPTUS 5/4	1,500	BFT	MAHOGANY HOND 4/4	3,300	BFT
BUBINGA 6/4 QC	300	BFT	EUCALYPTUS 6/4	1,000	BFT	MAHOGANY HOND 4/4 FC	1,400	BFT
BUBINGA 7/4 QC	200	BFT	EUCALYPTUS 8/4	12,200	BFT	MAHOGANY HOND 6/4	1,100	BFT
BUBINGA 8/4	14,500	BFT	EUCALYPTUS AUS 6/4	1,300	BFT	MAHOGANY HOND 8/4	11,300	BFT
CABREUVA 4/4	10,100	BFT	EUCALYPTUS AUS 8/4	1,800	BFT	MAHOGANY HOND 8/4 FC	400	BFT
CEDAR SPANISH 10/4 FC	1,300	BFT	EUCALYPTUS FIG 4/4	100	BFT	MAHOGANY KHAYA 4/4	5,700	BFT
CEDAR SPANISH 12/4	700	BFT	EUCALYPTUS FIG 8/4	6,400	BFT	MAHOGANY KHAYA 6/4	9,100	BFT
CEDAR SPANISH 4/4 FC	500	BFT	EUCALYPTUS FUMED 4/4	6,800	BFT	MAHOGANY KHAYA 8/4	14,800	BFT
CEDAR SPANISH 8/4 FC	9,300	BFT	EUCALYPTUS FUMED 5/4	2,200	BFT	MAKORE 4/4	5,800	BFT
CEDAR YELLOW 4/4	2,000	BFT	EUCALYPTUS FUMED 8/4	5,900	BFT	MAKORE 6/4	6,200	BFT
CEREJEIRA 6/4 FC	200	BFT	GONCALO ALVES 4/4	12,600	BFT	MAKORE 6/4 FIG	1,000	BFT
CHECHEN 4/4	6,000	BFT	GONCALO ALVES 8/4	1,600	BFT	MAKORE 8/4	600	BFT
CHERRY EURO 11/4 FC	2,100	BFT	GUM RED 6/4 FC	500	BFT	MAKORE 8/4 FIG	400	BFT
CHERRY FIRELAND 4/4	11,700	BFT	GUM RED 8/4 FC	300	BFT	MAKORE 8/4 QC	1,400	BFT
CHESTNUT EURO 4/4	2,200	BFT	GUM RED 9/4 FC	600	BFT	MANSONIA 8/4	2,100	BFT
CHESTNUT EURO 4/4	1,300	BFT	IPE 4/4	3,100	BFT	MAPLE BIRDSEYE 4/4	1,800	BFT
CHESTNUT EURO 8/4	1,000	BFT	IPE 8/4	6,500	BFT	MAPLE BIRDSEYE 4/4	1,300	BFT
CHESTNUT EURO FUMED 8/4	1,300	BFT	IROKO 8/4	7,900	BFT	MAPLE BIRDSEYE 8/4	1,600	BFT
CURUPAU 10/4	100	BFT	ITAUBA 4/4	1,600	BFT	MAPLE BIRDSEYE ST. 4/4	1,100	BFT

*All estimated quantities are subject to prior sales.

**All grades are considered FAS&BTR, with select few as SEL&BTR, or COMSEL. Please inquire.

International Sales Office

8375 N. Gilmore Road
Fairfield, OH 45014
Telephone (513) 874-4400
Fax (513) 682-1469
email@mbveneer.com
mbveneer.com

United States Sales Office

8375 N. Gilmore Road
Fairfield, OH 45014
Telephone (513) 682-1460
sales@mbveneer.com

Veneer Plant

2904 Symmes Road
Fairfield, OH 45014
Telephone (513) 682-1461

N. Carolina Sales Office

2809 Earlham Place
High Point, NC 27263
Telephone (336) 434-7024



M. BOHLKE LUMBER

DIMENSIONAL LUMBER INVENTORY

As of October 2021*

Grade Specifications**

Material Description	BFT	UoM	Material Description	BFT	UoM
MAPLE BIRDSEYE ST. 8/4	1,700	BFT	SAPELE 6/4	12,700	BFT
MAPLE CURLY SOFT ST. 4/4	1,100	BFT	SAPELE 8/4	28,000	BFT
MAPLE CURLY SOFT ST. 8/4	1,000	BFT	SATINWOOD 4/4	600	BFT
MAPLE CURLY SOFT 4/4	1,200	BFT	SATINWOOD 6/4	900	BFT
MASSARANDUBA 4/4	2,800	BFT	SATINWOOD 8/4	4,300	BFT
MASSARANDUBA 8/4	2,400	BFT	SEN 4/4	2,800	BFT
MONKEYPOD 7/4	2,300	BFT	SEN 8/4	2,500	BFT
MOVINGUI FIG 8/4	1,400	BFT	SEN BACKING BOARDS	2,300	BFT
MOZAMBIQUE 4/4	19,800	BFT	SIPO 8/4	7,200	BFT
MOZAMBIQUE 8/4	7,100	BFT	SNAKEWOOD	100	BFT
MOZAMBIQUE 10/4	200	BFT	SUCUPIRA 4/4	1,000	BFT
MYRTLE TASM. 8/4 FC	600	BFT	SUCUPIRA 8/4	4,800	BFT
OAK ENG BROWN 4/4	1,300	BFT	SYCAMORE EURO FIG 5/4	1,300	BFT
OAK ENG BROWN 8/4	5,600	BFT	TEAK 10/4	1,800	BFT
OAK EURO 10/4	100	BFT	TEAK 4/4	4,900	BFT
OAK EURO 4/4	1,900	BFT	TEAK 4/4 FC FSC	2,200	BFT
OAK EURO 5/4	800	BFT	TEAK 5/4	3,400	BFT
OAK EURO 6/4	4,700	BFT	TEAK 6/4	5,600	BFT
OAK EURO 8/4	7,200	BFT	TEAK 6/4 FC FSC	300	BFT
OAK EURO BROWN 1/4"	300	BFT	TEAK 8/4	10,700	BFT
OAK EURO FUMED 1/4"	1,100	BFT	WALNUT PERUVIAN 4/4	9,500	BFT
OAK EURO FUMED 8/4	800	BFT	WENGE 4/4	6,700	BFT
OAK EU. FUMED RUSTIC 8/4	200	BFT	WENGE 5/4	400	BFT
OAK EURO QTRD 10/4	400	BFT	WENGE 6/4	700	BFT
OAK EURO QTRD 4/4	6,200	BFT	WENGE 8/4	2,300	BFT
OAK EURO QTRD 5/4	9,800	BFT	YEW ENGLISH 4/4	400	BFT
OAK EURO QTRD 6/4	3,600	BFT	YEW ENGLISH 6/4	100	BFT
OAK EURO QTRD 8/4	3,500	BFT	ZEBRANO 10/4	1,600	BFT
PADAUK AFRICAN 4/4	4,100	BFT	ZEBRANO 10/4	700	BFT
PADAUK AFRICAN 8/4	7,300	BFT	ZEBRANO 4/4	11,500	BFT
PADAUK ANDAMAN 5/4	200	BFT	ZEBRANO 5/4	200	BFT
PALDAO 4/4	500	BFT	ZEBRANO 6/4	11,600	BFT
PALDAO 8/4	3,300	BFT	ZEBRANO 6/4	700	BFT
PALDAO WORMY 6/4	100	BFT	ZEBRANO 8/4	11,900	BFT
PALM BLACK SQUARES	300	BFT	ZEBRANO 8/4	1,800	BFT
PEARWOOD 5/4	500	BFT	ZIRICOTE 7/4	1,200	BFT
PINE RUSTIC 8/4	4,400	BFT	ZIRICOTE 8/4	3,600	BFT
PURPLE HEART 8/4	2,600	BFT	ZIRICOTE 10/4	300	BFT
REDWOOD 2x6 S4S4EE	800	BFT	ZIRICOTE 12/4	100	BFT
SANTOS 10/4	500	BFT	ZIRICOTE 4/4	900	BFT
SANTOS 4/4	2,800	BFT	ZIRICOTE 4/4	100	BFT
SANTOS 9/4	800	BFT	ZIRICOTE 6/4	100	BFT
SAPELE 10/4	1,300	BFT	ZIRICOTE 8/4	100	BFT
SAPELE 4/4	27,900	BFT	ZIRICOTE CANTS	300	BFT
SAPELE 5/4	200	BFT			

*All estimated quantities are subject to prior sales.

**All grades are considered FAS&BTR, with select few as SEL&BTR, or COMSEL. Please inquire.

International Sales Office

8375 N. Gilmore Road
Fairfield, OH 45014
Telephone (513) 874-4400
Fax (513) 682-1469
email@mbveneer.com
mbveneer.com

United States Sales Office

8375 N. Gilmore Road
Fairfield, OH 45014
Telephone (513) 682-1460
sales@mbveneer.com

Veneer Plant

2904 Symmes Road
Fairfield, OH 45014
Telephone (513) 682-1461

N. Carolina Sales Office

2809 Earham Place
High Point, NC 27263
Telephone (336) 434-7024