



M. BOHLKE LUMBER

January-February 2022

Tough, large dimensional slabs



#412106-960948E 16.57' long x 43.70" wide x 3.15" deep




#412106-960948F 16.57' long x 43.31" wide x 3.15" deep



#412106-960948G 16.57' long x 44.09" wide x 3.07" deep



#412106-960948H 16.57' long x 42.13" wide x 3.15" deep



#412106-960948I 16.57' long x 40.16" wide x 3.15" deep



Kingwood 16/4 Squares



Honduras Mahogany 16/4 FAS&BTR

Recent Lumber Arrivals

Etimoe | 16/4 FAS&BTR

Kingwood | 16/4 Squares

Mahogany, Honduras |

4/4, 8/4, 10/4, 12/4, 16/4 FAS&BTR

Santos | 6/4, 8/4, 10/4 FAS&BTR

Bosse is a figured, warmly colored tropical wood native to West and Central Africa, reaching heights of 160 feet with trunk diameters around 3-4 feet. Our inventory of Bosse live edge tops range in lengths between 16-25+ feet, widths between 25-45", and thicknesses from 2.95 inches to nearly 4 inches; we consider the whole selection of individual slabs to be very large and uniform, and there are varying degrees of exceptional figure visible on each slab.

The heartwood is initially a pinkish brown hue, darkening somewhat to a more golden, medium brown over time. Interestingly, Bosse is sometimes referred to as pink Mahogany because it greatly resembles the species—however, the density, or hardness, is very comparable to American Cherry. Bosse's texture is considered medium to fine, the grain can be straight, wavy, or interlocked, and it is naturally lustrous—either a hand rubbed oil or wax finish would showcase the grain on this species.

Traditional uses for Bosse include boatbuilding, cabinets, internal and external joinery, paneling, furniture making and decorative veneer, which we also currently have available quarter cut, both plain and figured. These impressively sized slabs would fit beautifully into residential spaces, such as older homes. They can also be utilized in educational, hospitality, retail, and many other settings; truly, the possibilities are limitless with such a warm, sophisticated wood. Pictured left are a handful of available slabs—contact your M. Bohlke sales representative to reserve your top choice today.

We specialize in catering to architectural millwork, marine building, and flooring suppliers & professionals.



#alwaysustainablysourced

#alwaysresponsiblyharvested

Natural character and strength

Karri (*Eucalyptus diversicolor*) is native to southwestern Australia and not to be confused with Kauri, another massive tree. Karri is one of the tallest Eucalyptus species, reaching heights between 100-200 feet, and capable of growing over 250 feet. The diameters of these trees are in the 6-10 feet range often, and this in stock burl slab is a major testament to the tree's size which it came from. This particular Karri live edge slab averages over five feet wide all around and is about 2.5 inches thick. The heartwood is a dark golden to medium reddish brown and can also have an orange or purple cast; as with other woods, these colors tend to darken with age.

This unique piece created by nature would be an amazing finished statement piece exuding character and strength. Reserve it today by contacting our team at sales@mbvener.com or by reaching out to your MB sales representative.



#318148-621900



Brown Ebony



Monkeypod

WoodWizz C: 6XC



Our WoodWizz leveler accommodates slabs up to 17 feet long and up to 70 inches wide. Slabs can be sanded (60-120 grit) after leveling for an additional fee of \$100. A purchased Bohlke live edge slab can typically be completed within 4-6 hours by a skilled operator.





4/4 Spessart Oak boules

Top left and right, #413660-961145



Bottom left and right, #413671-961148

**Sustainably using one
of Earth's most beautiful
resources to enrich
the world around us.**



SQUARE EDGE | BOULES | LIVE EDGE SLABS
RECLAIMED WOOD | BASES | CANTS



M. BOHLKE LUMBER

DIMENSIONAL LUMBER INVENTORY

As of February 2022* Grade Specifications**

Material Description	BFT	UoM	Material Description	BFT	UoM	Material Description	BFT	UoM
AFRORMOSIA 4/4	5,300	BFT	DOUSSIE 10/4	2,100	BFT	JATOBA 4/4	4,200	BFT
ANIGRE 4/4	6,400	BFT	DOUSSIE 4/4	7,100	BFT	JATOBA 8/4	6,400	BFT
ANIGRE 6/4	6,000	BFT	DOUSSIE 8/4	7,800	BFT	JEQUITIBA 4/4	7,000	BFT
ANIGRE 8/4	12,900	BFT	E. INDIAN ROSEWOOD 16/4	200	BFT	JEQUITIBA 8/4	3,800	BFT
AVODIRE 4/4	500	BFT	E. INDIAN ROSEWOOD 8/4	100	BFT	KATALOX 8/4	900	BFT
AVODIRE 8/4	10,600	BFT	EBIARA 4/4	2,400	BFT	KEYAKI 4/4	200	BFT
AYOUS 8/4	10,700	BFT	EBIARA 8/4	3,600	BFT	KEYAKI 8/4	100	BFT
BEECH EURO. 4/4 FC	3,000	BFT	EBONY AMARA 4/4	1,000	BFT	KINGWOOD SQUARES	5,900	BFT
BEECH EURO. 6/4 FC	3,800	BFT	EBONY AMARA 6/4	5,400	BFT	KOA 4/4	1,400	BFT
BEECH EURO. 8/4 FC	7,400	BFT	EBONY AMARA 8/4	10,800	BFT	KOA 5/4	100	BFT
BIBOLO 4/4	2,200	BFT	EBONY AMARA CANTS	3,100	BFT	KOA 6/4	5,100	BFT
BIBOLO 5/4	2,500	BFT	EBONY BLACK 10/4	100	BFT	KOA 9/4	400	BFT
BIBOLO 7/4	1,300	BFT	EBONY BLACK 4/4	1,500	BFT	KOA SQUARES	200	BFT
BIBOLO 8/4	6,500	BFT	EBONY BLACK 5/4	1,100	BFT	LACEWOOD BRAZ. 3/4	400	BFT
BIRCH CURLY 4/4	1,000	BFT	EBONY BLACK 6/4	300	BFT	LACEWOOD BRAZ. 4/4	1,600	BFT
BLACKWOOD 4/4	3,800	BFT	EBONY BLACK 6/4	700	BFT	LACEWOOD BRAZ. 8/4	2,400	BFT
BLACKWOOD 6/4	8,700	BFT	EBONY BLACK 8/4	2,300	BFT	LARCH 8/4	2,400	BFT
BLACKWOOD 8/4	2,700	BFT	EBONY BLACK 8/4	5,500	BFT	LATI 8/4	1,300	BFT
BLOODWOOD 4/4	2,100	BFT	EBONY BLACK CANTS	600	BFT	LEOPARD WOOD	100	BFT
BLOODWOOD 8/4	2,000	BFT	EBONY E. AFRICAN BLANKS	700	BFT	LIMBA 8/4	700	BFT
BOCOTE 4/4	400	BFT	ETIMOE 12/4	4,300	BFT	MACHICHE 4/4	1,800	BFT
BOCOTE 8/4	500	BFT	ETIMOE 16/4	900	BFT	MAHOGANY HOND. 10/4 FC	5,900	BFT
BOSSE 8/4 FIG.	500	BFT	ETIMOE 4/4	6,600	BFT	MAHOGANY HOND. 14/4	300	BFT
BUBINGA 10/4	800	BFT	ETIMOE 6/4	700	BFT	MAHOGANY HOND. 16/4 FC	3,000	BFT
BUBINGA 16/4 QC	5,500	BFT	ETIMOE 8/4	1,700	BFT	MAHOGANY HOND. 4/4	2,200	BFT
BUBINGA 5/4 QC	400	BFT	EUCALYPTUS 4/4	2,500	BFT	MAHOGANY HOND. 4/4 FC	1,400	BFT
BUBINGA 6/4 QC	300	BFT	EUCALYPTUS 5/4	1,500	BFT	MAHOGANY HOND. 8/4	8,000	BFT
BUBINGA 7/4 QC	200	BFT	EUCALYPTUS 6/4	1,000	BFT	MAHOGANY HOND. 8/4 FC	400	BFT
BUBINGA 8/4	14,500	BFT	EUCALYPTUS 8/4	12,200	BFT	MAHOGANY KHAYA 4/4	5,200	BFT
CABREUVA 4/4	10,100	BFT	EUCALYPTUS AUS. 6/4	1,300	BFT	MAHOGANY KHAYA 6/4	8,600	BFT
CEDAR SPANISH 10/4 FC	1,300	BFT	EUCALYPTUS AUS. 8/4	1,800	BFT	MAHOGANY KHAYA 8/4	14,200	BFT
CEDAR SPANISH 12/4	700	BFT	EUCALYPTUS FIG. 4/4	100	BFT	MAKORE 4/4	5,100	BFT
CEDAR SPANISH 4/4 FC	500	BFT	EUCALYPTUS FIG. 8/4	6,400	BFT	MAKORE 6/4	5,900	BFT
CEDAR SPANISH 8/4 FC	9,300	BFT	EUCALYPTUS FUMED 4/4	6,800	BFT	MAKORE 6/4 FIG.	1,000	BFT
CEDAR YELLOW 4/4	1,900	BFT	EUCALYPTUS FUMED 5/4	2,000	BFT	MAKORE 8/4	600	BFT
CEREJEIRA 6/4 FC	200	BFT	EUCALYPTUS FUMED 8/4	5,400	BFT	MAKORE 8/4 FIG.	400	BFT
CHECHEN 4/4	6,000	BFT	GONCALO ALVES 4/4	12,600	BFT	MAKORE 8/4 QC	1,300	BFT
CHERRY 5/4	100	BFT	GONCALO ALVES 8/4	1,500	BFT	MANSONIA 8/4	2,100	BFT
CHERRY EURO. 11/4 FC	2,100	BFT	GUM RED 6/4 FC	500	BFT	MAPLE BIRDSEYE 4/4	1,800	BFT
CHERRY FIRELAND 4/4	11,700	BFT	GUM RED 8/4 FC	300	BFT	MAPLE BIRDSEYE 4/4	1,300	BFT
CHESTNUT EURO. 4/4	800	BFT	GUM RED 9/4 FC	500	BFT	MAPLE BIRDSEYE 8/4	1,600	BFT
CHESTNUT EURO. 4/4	800	BFT	IPE 4/4	3,100	BFT	MAPLE BIRDSEYE ST. 4/4	1,100	BFT
CHESTNUT EURO. 8/4	1,000	BFT	IPE 8/4	6,000	BFT	MAPLE BIRDSEYE ST. 8/4	1,700	BFT
CHESTNUT EURO. FUMED 8/4	1,300	BFT	IROKO 8/4	7,900	BFT	MAPLE CURLY SOFT ST. 4/4	1,100	BFT
CURUPAU 10/4 FAS & BTR	100	BFT	ITAUBA 4/4	1,600	BFT	MAPLE CURLY SOFT ST. 8/4	1,000	BFT

*All estimated quantities are subject to prior sales.

**All grades are considered FAS&BTR, with select few as SEL&BTR, or COMSEL. Please inquire.

International Sales Office

8375 N. Gilmore Road
Fairfield, OH 45014
Telephone (513) 874-4400
Fax (513) 682-1469
email@mbveneer.com
mbveneer.com

United States Sales Office

8375 N. Gilmore Road
Fairfield, OH 45014
Telephone (513) 682-1460
sales@mbveneer.com

Veneer Plant

2904 Symmes Road
Fairfield, OH 45014
Telephone (513) 682-1461

N. Carolina Sales Office

2809 Earlham Place
High Point, NC 27263
Telephone (336) 434-7024



M. BOHLKE LUMBER

DIMENSIONAL LUMBER INVENTORY

As of February 2022*

Grade Specifications**

Material Description	BFT	UoM	Material Description	BFT	UoM
MAPLE CURLY SOFT 4/4	1,200	BFT	SATINWOOD 8/4	4,300	BFT
MASSARANDUBA 4/4	2,800	BFT	SEN 4/4	2,800	BFT
MASSARANDUBA 8/4	2,400	BFT	SEN 8/4	2,400	BFT
MONKEYPOD 7/4	2,200	BFT	SIPO 8/4	7,200	BFT
MOVINGUI FIG. 8/4	1,400	BFT	SNAKEWOOD	100	BFT
MOZAMBIQUE 4/4	19,700	BFT	SUCUPIRA 4/4	1,000	BFT
MOZAMBIQUE 8/4	6,700	BFT	SUCUPIRA 8/4	4,800	BFT
MYRTLE TASMANIAN 8/4 FC	600	BFT	SYCAMORE EURO. FIG. 5/4	1,300	BFT
OAK ENG. BROWN 4/4	1,300	BFT	TEAK 10/4	5,900	BFT
OAK ENG. BROWN 8/4	5,600	BFT	TEAK 4/4 DECKING	1,200	BFT
OAK EURO. 6/4	900	BFT	TEAK 4/4	1,400	BFT
OAK EURO. 8/4	2,200	BFT	TEAK 4/4 FC FSC	2,200	BFT
OAK EURO. BROWN 1/4"	300	BFT	TEAK 5/4	4,200	BFT
OAK EURO. FUMED 1/4"	1,100	BFT	TEAK 6/4	6,500	BFT
OAK EURO. FUMED 8/4	800	BFT	TEAK 6/4 FC FSC	300	BFT
OAK EU. FUMED RUSTIC 8/4	200	BFT	TEAK 7/4	1,100	BFT
OAK EURO. QRTD 4/4	3,200	BFT	TEAK 8/4	9,900	BFT
OAK EURO. QRTD 5/4	7,900	BFT	WALNUT PERUVIAN 4/4	7,800	BFT
OAK EURO. QRTD 6/4	3,600	BFT	WENGE 4/4	5,700	BFT
OAK EURO. QRTD 8/4	3,500	BFT	WENGE 6/4	100	BFT
OAK PIPPY EURO. 4/4	2,600	BFT	WENGE 8/4	200	BFT
PADAUK AFRICAN 4/4	1,300	BFT	YEW ENGLISH 4/4	400	BFT
PADAUK AFRICAN 8/4	7,300	BFT	YEW ENGLISH 6/4	100	BFT
PADAUK ANDAMAN 5/4	200	BFT	ZEBRANO 10/4	1,600	BFT
PALDAO 4/4	1,700	BFT	ZEBRANO 10/4	700	BFT
PALDAO 8/4	3,000	BFT	ZEBRANO 4/4	11,100	BFT
PALDAO WORMY 6/4	100	BFT	ZEBRANO 5/4	200	BFT
PALM BLACK SQUARES	300	BFT	ZEBRANO 6/4	11,600	BFT
PEARWOOD 5/4	500	BFT	ZEBRANO 6/4	700	BFT
PINE RUSTIC 8/4	4,200	BFT	ZEBRANO 8/4	11,900	BFT
PURPLE HEART 4/4	700	BFT	ZEBRANO 8/4	1,600	BFT
PURPLE HEART 8/4	2,300	BFT	ZIRICOTE 7/4	1,200	BFT
REDWOOD 2x6 S4S4EE	800	BFT	ZIRICOTE 8/4	3,600	BFT
SANTOS 10/4	1,600	BFT	ZIRICOTE 10/4	300	BFT
SANTOS 4/4	1,200	BFT	ZIRICOTE 12/4	100	BFT
SANTOS 6/4	500	BFT	ZIRICOTE 4/4	900	BFT
SANTOS 8/4	3,100	BFT	ZIRICOTE 4/4	100	BFT
SANTOS 9/4	800	BFT	ZIRICOTE 6/4	100	BFT
SAPELE 10/4	1,300	BFT	ZIRICOTE 8/4	100	BFT
SAPELE 4/4	27,700	BFT	ZIRICOTE CANTS	300	BFT
SAPELE 5/4	200	BFT			
SAPELE 6/4	12,700	BFT			
SAPELE 8/4	20,700	BFT			
SATINWOOD 4/4	600	BFT			
SATINWOOD 6/4	900	BFT			

*All estimated quantities are subject to prior sales.

**All grades are considered FAS&BTR, with select few as SEL&BTR, or COMSEL. Please inquire.

International Sales Office

8375 N. Gilmore Road
Fairfield, OH 45014
Telephone (513) 874-4400
Fax (513) 682-1469
email@mbveneer.com
mbveneer.com

United States Sales Office

8375 N. Gilmore Road
Fairfield, OH 45014
Telephone (513) 682-1460
sales@mbveneer.com

Veneer Plant

2904 Symmes Road
Fairfield, OH 45014
Telephone (513) 682-1461

N. Carolina Sales Office

2809 Earham Place
High Point, NC 27263
Telephone (336) 434-7024